

**Notice of Allowability**

Application No.

10/662,317

Examiner

Phu Vu

Applicant(s)

PARK ET AL.

Art Unit

2871

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 7/14/2005.
2. ☒ The allowed claim(s) is/are 1-25.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
  1. ☒ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

## DETAILED ACTION

### *Allowable Subject Matter*

Claims 1 – 25 allowed.

The following is an examiner's statement of reasons for allowance:

**Regarding claims 1-21,** There is no prior art of record that teaches a display panel using a hologram pattern liquid crystal comprising: first and second data lines formed in the same direction, the second data lines formed in a direction perpendicular to the first and second data lines, the second data lines overlapping with upper parts of the first scanning lines so that the first and second scanning lines are offset and first and second scanning lines formed in line in a direction perpendicular to the first and second data lines, the second scanning lines overlapping with upper parts of the first scanning lines so that that the first and second scanning lines are offset; liquid crystals having hologram patterns formed between the first scanning lines and the first data lines, and liquid crystal having hologram patterns formed between the first scanning lines and the first data lines.

**Regarding claims 22-25,** there is no prior art of record that teaches a display panel comprising: first and second data lines formed in a first direction; first and second scanning lines formed in a second direction and liquid crystal having hologram patterns which are formed between the first and second scanning lines and first and second data lines between the second scanning lines respectively, wherein at least one of the second data lines partially cover the first data lines or at least one of the second scanning lines partially cover the first scanning lines. For the record the term partial is

Art Unit: 2871

interpreted as "of relating to, being or affecting only a part; not total; incomplete" as defined by the American Heritage College Dictionary 4<sup>th</sup> edition such that the limitation excludes complete coverage.

Yamanaka et. al US 5986729 discloses display with first and second signal and scanning lines however all the driving elements for each liquid crystal layer are found on the lower substrate.

Cutler et al US 5457551 discloses a display with multiple liquid crystal layer with driving lines found on each substrate however Cutler does not teach any kind of offset between first and second scanning lines (see figure 2).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phu Vu whose telephone number is (571)-272-1562.

The examiner can normally be reached on 8AM-5PM M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Kim can be reached on (571)-272-2293. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2871

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Phu Vu  
Examiner  
AU 2871

  
ANDREW SCHECHTER  
PRIMARY EXAMINER